



- 1) A TEMPORARY EASEMENT SHALL BE REQUIRED FOR THE TEMPORARY TURNAROUND. THE EASEMENT SHALL INCORPORATE THE BASE STONE, PAVEMENT AND SIGNS.
- 2) THE TURNAROUND SHALL CONSIST OF 8" MIN 303-01 MINERAL AGGREGATE, TYPE "A" BASE, GRADING "D".
- 3) TEMPORARY CUL-DE-SAC'S MAY ONLY BE USED IF THE OVERALL PLAN ALLOWS THE CUL-DE-SAC TO BE ELIMINATED AT FINAL BUILD OUT OF THE DEVELOPMENT. TEMPORARY CUL-DE-SACS SHALL BE REMOVED WITHIN 3 YEAR FROM THE DATE CONSTRUCTION STARTS UNLESS OTHERWISE APPROVED BY THE FIRE MARSHAL.

N.T.S

## CITY OF FRANKLIN

TEMPORARY CUL-DE-SAC

**DWG. NO. SD-2**

EFFECTIVE DATE: 7/1/2017

*Paul P. Hoyle* 7/1/2017  
CITY ENGINEER DATE

*Jonathan M. Martin* 7/1/2017  
ASST. DIRECTOR OF ENG. DATE