

ADDENDUM NO. 1

City of Franklin
Engineering Office
109 Third Avenue South
Franklin, TN 37064

Contract No. COF 2019-0236
Project Municipal Services Complex

Date of Issuance July 26, 2019

You are directed to make the following changes in the Contract Documents:

- I) Instructions:
The City of Franklin is issuing a revised Bid Form for this project. The revised bid form shall be physically attached (stapled or replaced) within the Bid Book when the Bid is submitted to the City of Franklin, TN.

- II) Pay Item Modifications:

Change in the Bid Form Revised Description/Quantity

501-01.03	PORTLAND CEMENT CONCRETE PAVEMENT 10" (5,000 PSI WITH FIBER REINFORCEMENT)	S.Y.	6,300
501-01.13	PORTLAND CEMENT CONCRETE PAVEMENT 10" (5,000 PSI HIGH EARLY STRENGTH WITH FIBER REINFORCEMENT)	S.Y.	4,555

Deleted Items

W14	MILBANK METERING PEDESTAL WITH SWITCHED LOAD CENTER	EACH	1
-----	-----------------------------------------------------	------	---

PER MTEMC – The Milbank Metering Pedestal is not needed. The Electrician shall coordinate a direct connection to the existing meter located in the transformer box and include fuses for the connection. This connection shall occur outside normal business days/hours of the facility (Monday – Thursday 6AM – 6PM). All cost associated with this work will be paid for under item W13 – Electrical Service Connection (Backflow Heater and Meter Sump Pump)

- III) Attachments
 - a. Revised Bid Form

END of Addendum

EXHIBIT A - BID FORM (COF 2019-0236) (Amendment 1)

PROJECT QUANTITIES (COORDINATE WITH FOOTNOTES)						
FOOTNOTES	ITEM NO.	ITEM DESCRIPTION	UNIT	QTY	UNIT PRICE	TOTAL
	105-01	CONSTRUCTION STAKES LINES AND GRADES	L.S.	1	\$	\$
FOOTNOTE 1	202-01	REMOVAL OF STRUCTURES AND OBSTRUCTIONS IN ACCORDANCE WITH SECTION 202-01 OF THE STANDARD SPECIFICATIONS	L.S.	1	\$	\$
	202-01.13	REMOVAL OF PIPE (15" STORM)	L.F.	32		
	202-03.02	REMOVAL OF RIGID PAVEMENT	S.Y.	762	\$	\$
	202-08.10	REMOVAL OF CURB (EXTRUDED)	L.F.	16	\$	\$
	202-08.15	REMOVAL OF CURB AND GUTTER	L.F.	1271	\$	\$
FOOTNOTE 2	203-01.77	EARTHWORK (INCLUDES ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED), BORROW EXCAVATION (UNCLASSIFIED), EMBANKMENT (UNCLASSIFIED), STRIPPING & STOCKPILE TOPSOIL AND PLACING AND SPREADING SOIL TOPSOIL)	L.S.	1	\$	\$
	203-05	UNDERCUTTING (UNIT PRICE BIDS INCLUDES SURGE STONE BACKFILL) (AS DIRECTED BY THE ENGINEER)	C.Y.	500	\$	\$
	209-03.20	TEMPORARY FILTER SOCK (18" TYPICAL)	L.F.	1051	\$	\$
	209-40.30	TEMPORARY CATCH BASIN PROTECTION (FLEXSTORM INLET FILTERS WITH OVERFLOW PROTECTION - SEE DETAIL)	EACH	13	\$	\$
	209-40.31	PERMENANT CATCH BASIN PROTECTION (ADS-FLEXSTORM PERFORATED STAINLESS STEEL FULL TRASH CAPTURE INSERTS - SEE DETAIL)	EACH	15	\$	\$
	209-40.31	INSTALLATION OF PERMENANT TRENCH DRAIN SCREEN OVER EXISTING PIPE (SEE DETAIL SHEET C300)	EACH	2	\$	\$
	209-99.91	CONCRETE WASHOUT (SEE DETAIL)	LS	1		
FOOTNOTE 3	303-01	MINERAL AGGREGATE TYPE A BASE GRADING "D"	TON	2500	\$	\$
	307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2 (TEMPORARY TRENCH REPAIR FOR UTILITIES)	TON	200	\$	\$
	403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	TON	2	\$	\$
FOOTNOTE 3	407-02.13	REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	S.Y.	8555	\$	\$
	407-20.05	SAW CUTTING ASPHALT PAVEMENT, (TO BE USED AS DIRECTED BY THE ENGINEER FOR CONNECTIONS AT EXISTING ROADWAYS. IF THE CONTRACTOR ELECTS TO SAW CUT FOR OTHER PURPOSES, PAYMENT SHALL BE DISALLOWED UNLESS PRE-APPROVED BY THE ENGINEER.)	L.F.	675	\$	\$
	411-02.10	ACS MIX (PG70-22) GRADING D	TON	245	\$	\$
	411-01.02	COLD PLANING BITUMINOUS PAVEMENT	S.Y.	3,076	\$	\$
	501-01.03	PORTLAND CEMENT CONCRETE PAVEMENT 10" (5,000 PSI WITH FIBER REINFORCEMENT)	S.Y.	6,300	\$	\$
	501-01.13	PORTLAND CEMENT CONCRETE PAVEMENT 10" (5,000 PSI HIGH EARLY STRENGTH WITH FIBER REINFORCEMENT)	S.Y.	4,555	\$	\$

PROJECT QUANTITIES (COORDINATE WITH FOOTNOTES)						
FOOTNOTES	ITEM NO.	ITEM DESCRIPTION	UNIT	QTY	UNIT PRICE	TOTAL
	607-02.02	15" CONCRETE PIPE CULVERT (CLASS III)	L.F.	237	\$	\$
	607-02.03	8" HDPE PIPE CULVERT (PER TDOT STANDARD DRAWING D-PB-2)	L.F.	60	\$	\$
	611-07.52	ENDWALL (SEE TDOT D-PE-15A)	EACH	1	\$	\$
	611-09.01	ADJUSTMENT OF EXISTING CATCHBASIN (REPLACE GRATE, ADJUST TO GRADE)	EACH	3	\$	\$
	611-09.03	CORE CATCH BASINS FOR NEW PIPE	EACH	1	\$	\$
	611-01.01	MANHOLES, 0'-4' DEPTH	EACH	1	\$	\$
	611-42.01	CATCH BASINS, TYPE 42, 0'-4' DEPTH	EACH	2	\$	\$
	611-01.10	OIL WATER SEPARATOR (PROCEPTOR SEE DETAIL)	EACH	2	\$	\$
	701-02	CONCRETE DRIVEWAY (6")	S.F.	450	\$	\$
	702-01.01	EXTRUDED MOUNTABLE CURB	L.F.	16	\$	\$
	702-03	CONCRETE COMBINED CURB & GUTTER	L.F.	325	\$	\$
	704-01.01	CONSTRUCTION ACCESS (INSTALLED ONLY IF DIRECTED BY THE ENGINEER)	L.S.	1		
	707-06.03	REMOVAL AND RESET EXISTING FENCE (AS APPROVED BY THE ENGINEER)	L.F.	150	\$	\$
	712-07.03	TEMPORARY BARRICADES (TYPE III) (TO BE USED AS DIRECTED BY THE ENGINEER)	L.F.	50	\$	\$
	713-16.35	SIGNS (YIELD, R1-2, 30"X30"X30"(UNIT PRICE BID INCLUDES PERFORATED SQUARE TUBE POST (2" MIN) AND ALL NECESSARY ITEMS FOR A COMPLETE INSTALLATION))	EACH	1	\$	\$
	713-16.50	REMOVE, STORE AND RESET EXISTING PARKING BLOCKS	EACH	8	\$	\$
FOOTNOTE 4	714-25	ELECTRICAL CONNECTION / WIRING - (SITE LIGHTING)	L.F.	314	\$	\$
	716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	L.F.	1,345	\$	\$
	716-05.05	PAINTED PAVEMENT MARKING (STOP LINE)	L.F.	68	\$	\$
	716-05.06	PAINTED PAVEMENT MARKING (TURN LANE ARROW)	EACH	8	\$	\$
	716-05.21	PAINTED PAVEMENT MARKING (4" DOTTED LINE)	L.F.	92	\$	\$
	717-01	MOBILIZATION	L.S.	1	\$	\$
FOOTNOTE 5	730-14.02	SAW SLOT	L.F.	50	\$	\$
FOOTNOTE 5	730-14.03	LOOP WIRE	L.F.	100	\$	\$
	740-10.04	GEOTEXTILE (TYPVE IV) (STABILIZATION) (AS REQUIRED BY THE ENGINEER)	S.Y.	100	\$	\$
	793-13.09	2IN SCHEDULE 40 PVC (INCLUDES ALL BENDS - BENDS SHALL BE GREATER THAN 6' RADIUS) (INCLUDES EXCAVATION AND BACKFILL)	L.F.	50	\$	\$
	801-02	SEEDING (WITH MULCH)	UNIT	20	\$	\$
	805-12.03	EROSION CONTROL BLANKET (TYPE III)	S.Y.	10	\$	\$

PROJECT QUANTITIES (COORDINATE WITH FOOTNOTES)						
FOOTNOTES	ITEM NO.	ITEM DESCRIPTION	UNIT	QTY	UNIT PRICE	TOTAL
FOOTNOTE 6	S1	6" PVC CLASS 900 FORCEMAIN	L.F.	418	\$	\$
FOOTNOTE 7	S2	CUT AND CAP/PLUG EXISTING 4" FM	EACH	3	\$	\$
FOOTNOTE 15	S3	REMOVAL OF PUMP EQUIPMENT AND ABANDONMENT OF EXISTING PUMP STATION AND RESTORATION INSIDE BUILDING	L.S.	1	\$	\$
FOOTNOTE 16	S4	ABDONMENT OF EXISTING OIL GREASE INTERCEPTOR	L.S.	1	\$	\$
	S5	ADJUSTMENT OF EXISTING MH TO GRADE	EACH	1	\$	\$
	S6	DOG HOUSE MANHOLE	EACH	1	\$	\$
FOOTNOTE 8	W1	2" TYPE K COPPER WATER LINE	L.F.	297	\$	\$
FOOTNOTE 8	W2	8" DIP CL 52 WATER LINE	L.F.	77	\$	\$
FOOTNOTE 8	W3	10" DIP CL 52 WATER LINE	L.F.	1,407	\$	\$
FOOTNOTE 13	W6	2" WATER SERVICE METER ASSEMBLY (CITY TO PROVIDE WATER METER)	EACH	2	\$	\$
FOOTNOTE 13	W7	8" WATER SERVICE METER ASSEMBLY (CONTRACTOR TO PROVIDE WATER METER)	EACH	1	\$	\$
FOOTNOTE 13	W8	10" FIRE METER ASSEMBLY (CONTRACTOR TO PROVIDE WATER METER)	EACH	1	\$	\$
FOOTNOTE 14	W8	2" BACKFLOW PREVENTER ASSEMBLY	EACH	2	\$	\$
FOOTNOTE 14	W9	8" BACKFLOW PREVENTER ASSEMBLY	EACH	1	\$	\$
FOOTNOTE 14	W10	10" BACKFLOW PREVENTER ASSEMBLY	EACH	1	\$	\$
FOOTNOTE 17	W11	2IN SCHEDULE 40 PVC (INCLUDES ALL BENDS - BENDS SHALL BE GREATER THAN 6' RADIUS) (INCLUDES EXCAVATION AND BACKFILL) (BACKFLOW HEATER AND METER SUMP PUMP)	LF	528	\$	\$
FOOTNOTE 17	W12	ELECTRICAL WIRING - (BACKFLOW HEATER AND METER SUMP PUMP)	LF	815	\$	\$
FOOTNOTE 17	W13	ELECTRICAL SERVICE CONNECTION (BACKFLOW HEATER AND METER SUMP PUMP)	L.S.	1	\$	\$
FOOTNOTE 12	W15	5-1/4" FIRE HYDRANT ASSEMBLY	EACH	2	\$	\$
FOOTNOTE 9	W16	CONNECT TO EXISTING 10" WATER MAIN	EACH	1	\$	\$
FOOTNOTE 9	W17	CONNECT TO EXISTING 8" WATER MAIN	EACH	5	\$	\$
FOOTNOTE 9	W18	CONNECT TO EXISTING 2" WATER SERVICE	EACH	2	\$	\$
FOOTNOTE 10	W19	CUT AND CAP EXISTING 2" WATER MAIN	EACH	3	\$	\$
FOOTNOTE 10	W20	CUT AND CAP EXISTING 8" WATER MAIN	EACH	3	\$	\$
FOOTNOTE 11	W21	10" GATE VALVE	EACH	6	\$	\$
FOOTNOTE 18	U1	UTILITY RECORD DRAWINGS	LS	1	\$	\$

BASE BID \$

PROJECT QUANTITIES (COORDINATE WITH FOOTNOTES)

FOOTNOTES	ITEM NO.	ITEM DESCRIPTION	UNIT	QTY	UNIT PRICE	TOTAL
-----------	----------	------------------	------	-----	------------	-------

BID ALTERNATE A

FOOTNOTE 19	S7	PUMPS STATION MODIFICATIONS (BID ALTERNATE)	LS	1	\$	\$
-------------	----	---------------------------------------------	----	---	----	----

BID ALTERNATE - A \$ _____

TOTAL BID PRICE (BASE BID + BID ALTERNATE - A) \$ _____

(THE TOTAL BID PRICE SHALL BE USED TO DETERMINE THE LOWEST BIDDER)

FOOTNOTE 1	INCLUDE LIGHT POLE, BACKFLOW PREVENTER, PIV, CUT/PLUG/REMOVE EXISTING CONDUIT, ETC.
FOOTNOTE 2	ITEM INCLUDES REMOVING 5.5" OF EXISTING BASE UNDER EXISTING PAVEMENT, MINOR RE-GRADING/EXCAVATION IN AREAS IDENTIFIED ON THE PLANS. CONTRACTOR SHALL PROOFROLL TO IDENTIFY AND FIX FAILURES PRIOR TO INSTALLING CONCRETE.
FOOTNOTE 3	EXISTING ASPHALT PAVEMENT SECTION IS APPROXIMATELY 1.5" SURFACE WITH 3" BINDER AND 12" BASE. CONTRACTOR TO PROOFROLL EXISTING BASE, FIX FAILURES AND USE THIS QTY IN AREAS OF MINOR REGRADING AND AS NEEDED.
FOOTNOTE 4	THIS PAY ITEM IS TO REMOVE THE EXISTING WIRING AND PULL NEW WIRE INTO EXISTING AND PROPOSED CONDUIT FOR SITE LIGHTING AND TO OBTAIN ELECTRICAL PERMIT FROM THE CITY OF FRANKLIN, TN. CONDUIT TO BE PAID FOR SEPARATELY
FOOTNOTE 5	THIS PAY ITEM IS TO REINSTALL LOOP WIRE FOR ACCESS GATES FOLLOWING MILLING/OVERLAY
FOOTNOTE 6	THE QUANTITIES SHALL BE EXPRESSED IN LINEAR FEET FOR EACH SIZE AND MATERIAL TYPE OF PIPE IN TERMS OF HORIZONTAL LENGTHS OF PIPE INSTALLED IN PLACE MEASURED ALONG THE CENTERLINE WITH NO DEDUCTION FOR VALVES OR FITTINGS. SUCH PAYMENT SHALL INCLUDE FULL COMPENSATION FOR THE FURNISHING AND INSTALLATION OF PIPE, JOINTING MATERIALS, FITTINGS, SURVEY AND LAYOUT, CLEARING, GRUBBING, UNCLASSIFIED EXCAVATION, BEDDING, BACKFILL, REACTION BLOCKING, CLEAN-UP, TESTING, FLUSHING, DISINFECTION AND BACTERIOLOGICAL SAMPLING AND ALL OTHER WORK NECESSARY TO COMPLETE THE WORK. WHEN TRENCHLESS INSTALLATION IS SPECIFIED SUCH PAYMENT SHALL INCLUDE TESTING OF THE CASING AND CARRIER PIPE, CASING SPACERS AND END SEALS.
FOOTNOTE 7	CUT & CAP / PLUG EXISTING LINE: PAYMENT FOR PLUGGING/CAPPING EXISTING LINE OF THE VARIOUS SIZES AND TYPES SHALL BE PER EACH. SUCH PAYMENT SHALL INCLUDE THE EXISTING PIPE (AS NEEDED) AND PLUGGING THE EXISTING STORM AND SANITARY STRUCTURES SHALL BE INCLUDED IN THE COST OF THIS ITEM.
FOOTNOTE 8	THE QUANTITIES OF WATER LINES FOR WHICH PAYMENT SHALL BE MADE WILL BE EXPRESSED IN LINEAR FEET FOR EACH SIZE AND MATERIAL TYPE OF PIPE IN TERMS OF HORIZONTAL LENGTHS OF PIPE INSTALLED IN PLACE MEASURED ALONG THE CENTERLINE WITH NO DEDUCTION FOR VALVES OR FITTINGS. SUCH PAYMENT SHALL INCLUDE FULL COMPENSATION FOR THE FURNISHING AND INSTALLATION OF PIPE, JOINTING MATERIALS, FITTINGS, SURVEY AND LAYOUT, CLEARING, GRUBBING, UNCLASSIFIED EXCAVATION, BEDDING, BACKFILL, REACTION BLOCKING, CLEAN-UP, SEEDING, TESTING, FLUSHING, DISINFECTION AND BACTERIOLOGICAL SAMPLING AND ALL OTHER WORK NECESSARY TO COMPLETE THE WORK. WHEN TRENCHLESS INSTALLATION IS SPECIFIED SUCH PAYMENT SHALL INCLUDE TESTING OF THE CASING AND CARRIER PIPE, CASING SPACERS AND END SEALS.
FOOTNOTE 9	CONNECTION TO EXISTING WATER LINE: PAYMENT FOR CONNECTION TO EXISTING WATER LINES OF THE VARIOUS SIZES AND TYPES SHALL BE PER EACH CONNECTION MADE. SUCH PAYMENT SHALL INCLUDE COMPENSATION FOR FURNISHING AND INSTALLING THE RESTRAINT DEVICES NECESSARY TO COMPLETE THE CONNECTION, BACKFILLING, TESTING, DISINFECTION, SURFACE RESTORATION (EXCEPT FINAL PAVEMENT REPLACEMENT), AND OTHER LABOR AND EQUIPMENT NECESSARY TO COMPLETE THE WORK. PAYMENT SHALL INCLUDE THE USE OF BACKFLOW PREVENTION DEVICES AS REQUIRED BY THE OWNER.
FOOTNOTE 10	CUT & CAP / PLUG EXISTING LINE: PAYMENT FOR PLUGGING/CAPPING EXISTING LINE OF THE VARIOUS SIZES AND TYPES SHALL BE PER EACH. SUCH PAYMENT SHALL INCLUDE COMPENSATION FOR FURNISHING AND INSTALLING ALL FITTINGS REQUIRED. DIP FITTINGS SHALL BE MEASURED AND PAID FOR SEPARATELY AS SHOWN ON THE BID FORM. THIS ITEM INCLUDES THE REMOVAL OF EXISTING LINE AS NEEDED TO AVOID CONFLICTS WITH PROPOSED UTILITIES.

PROJECT QUANTITIES (COORDINATE WITH FOOTNOTES)

FOOTNOTES	ITEM NO.	ITEM DESCRIPTION	UNIT	QTY	UNIT PRICE	TOTAL
FOOTNOTE 11		VALVES: PAYMENT SHALL BE FULL COMPENSATION FOR FURNISHING AND INSTALLATION OF VALVE, VALVE BOX (INCLUDING BOX ADJUSTMENT), VALVE BOX COLLAR, VALVE MARKER, GEARING, COATINGS, NUT OPERATOR EXTENSIONS, APPURTENANCES, EXCAVATION, BEDDING BACKFILLING, BLOCKING AND ALL LABOR AND EQUIPMENT NECESSARY TO COMPLETE THE WORK.				
FOOTNOTE 12		HYDRANTS: PAYMENT OF THIS WORK SHALL BE PER EACH ASSEMBLY FOR EACH SIZE AND TYPE. SUCH PAYMENT SHALL BE FULL COMPENSATION FOR FURNISHING AND INSTALLATION OF THE HYDRANT LEAD (FROM, BUT NOT INCLUDING THE WATER MAIN TEE), REDUCERS (AS REQUIRED), HYDRANT ASSEMBLY, HYDRANT LEAD GATE VALVE, VALVE BOX (INCLUDING BOX ADJUSTMENT), VALVE BOX COLLAR, COATINGS, VALVE NUT OPERATOR EXTENSIONS, HYDRANT EXTENSIONS, RODDING OR OTHER RESTRAINING DEVICES, APPURTENANCES (SUCH AS INTERIOR AND EXTERIOR COATINGS, GLANDS, GASKETS, BOLTS, ETC), UNCLASSIFIED EXCAVATION, BEDDING BACKFILLING, BLOCKING, TESTING AND ALL LABOR AND EQUIPMENT NECESSARY TO COMPLETE THE WORK.				
FOOTNOTE 13		METER ASSEMBLY: PAYMENT FOR THIS WORK SHALL BE AS SPECIFIED ON THE BID FORM AND BE CONSIDERED AS FULL COMPENSATION FOR THIS ITEM, INCLUDING ALL LABOR, MATERIALS AND EQUIPMENT REQUIRED TO INSTALL THE METER BOX, METER YOKE, CURB STOP, FITTINGS, CONNECTION, SUMP PUMP, WATER METER OF THE PROPOSED SERVICE AND EXISTING PRIVATE SERVICE AND COORDINATION WITH UTILITY.				
FOOTNOTE 14		REDUCED PRESSURE BACKFLOW PREVENTER: PAYMENT FOR THIS WORK SHALL BE AS SPECIFIED ON THE BID FORM AND BE CONSIDERED AS FULL COMPENSATION FOR THIS ITEM, INCLUDING ALL LABOR, MATERIALS AND EQUIPMENT REQUIRED TO INSTALL THE VAULT AS REQUIRED, VALVES, CONCRETE PAD, EXCAVATION, BEDDING, BACKFILL, BYPASSES (IF REQUIRED) INTERIOR PIPING, HEATER, SERVICE TAP, PAINTING, BLOCKING, CLEAN-UP AND START-UP, AND ALL OTHER WORK NECESSARY TO COMPLETE THE ITEM.				
FOOTNOTE 15		PUMP STATION REMOVAL AND ABANDONMENT: PAYMENT FOR THIS WORK SHALL BE CONSIDERED AS FULL COMPENSATION FOR THIS ITEM, INCLUDING ALL LABOR, MATERIALS AND EQUIPMENT REQUIRED TO COMPLETE THE ITEM IN ACCORDANCE WITH THE BIDDING DOCUMENTS. PAYMENT SHALL INCLUDE THE REMOVAL OF ALL PUMP EQUIPMENT, DEMO OF EXISTING WETWELL, FORCE MAIN THROUGH THE BUILDING WALL, STONE BACKFILL, CONCRETE REPLACEMENT AND ANYTHING INCIDENTAL TO COMPLETE THE WORK.				
FOOTNOTE 16		PAYMENT FOR THIS WORK SHALL BE CONSIDERED AS FULL COMPENSATION FOR THIS ITEM, INCLUDING ALL LABOR, MATERIALS, AND EQUIPMENT REQUIRED TO COMPLETE THE ITEM IN ACCORDANCE WITH THE BIDDING DOCUMENTS. PAYMENT SHALL INCLUDES REMOVAL OF EXISTING SEWER BOX, EXISTING OIL / GREASE INTERCEPTOR (2' BELOW GRADE), PLUGGING EXISTING STORM INFRASTRUCTURE, FLOWABLE FILL EXISTING STORM LINE AND OIL/GREASE INTERCEPTOR, EXCAVATION AND ALL OTHER WORK NECESSARY FOR AND ANYTHING INCIDENTAL TO COMPLETE THE WORK.				
FOOTNOTE 17		PAYMENT FOR THIS WORK SHALL BE CONSIDERED AS FULL COMPENSATION FOR THIS ITEM, INCLUDING ALL LABOR, MATERIALS, EXCAVATION, BACKFILL AND EQUIPMENT REQUIRED TO COMPLETE THE ITEM IN ACCORDANCE WITH THE BIDDING DOCUMENTS. PAYMENT SHALL INCLUDES INSTALLATION OF CONDUIT AND WIRE TO PROVIDE POWER TO THE HEATER ASSOCIATED WITH THE BACKFLOW PREVENTER AND SUMP PUMP LOCATED IN THE METER BOX AND CONNECTION TO EXISTING ELECTRICAL PANEL. CONTRACTOR SHALL OBTAIN BUILDING PERMIT FROM THE CITY OF FRANKLIN, TN.				
FOOTNOTE 18		SEE SPECIAL PROVISIONS REGARDING UTILITY RECORD DRAWINGS FOR SPECIFICATIONS/REQUIREMENTS AND MEASUREMENT/PAYMENT.				
FOOTNOTE 19		PUMP STATION MODIFICATIONS: PAYMENT FOR THIS WORK SHALL BE CONSIDERED AS FULL COMPENSATION FOR THIS ITEM, INCLUDING ALL LABOR, MATERIALS AND EQUIPMENT REQUIRED TO COMPLETE THE ITEM IN ACCORDANCE WITH THE BIDDING DOCUMENTS. PAYMENT SHALL INCLUDE THE FURNISHING AND INSTALLATION OF PIPING, QUICK DISCONNECT, VALVES, FITTINGS, PAINTING/COATINGS AND ALL APPURTENANCES TO CONNECT THE EXISTING PUMPS TO PROPOSED FORCEMAIN. ANY MATERIALS OR WORK DESCRIBED IN THE SPECIFICATIONS OR DRAWINGS OR NECESSARY TO CONSTRUCT A COMPLETE AND OPERABLE FACILITY SHALL BE CONSIDERED INCLUDED IN THE BID FORM.				